fuel economy test results for automobiles and light-duty trucks



gas mileage guide for new car buyers

in California

2nd edition, revised January 1975.



This is the third automobile model year for which EPA has published fuel economy data. This year we are providing information on both city-driving fuel economy and highway-driving fuel economy, and presenting it in a manner which makes it much easier for you to find the fuel economy of the new car that you may be considering.

All of the cars listed also meet the tougher 1975 air pollution emission standards, and hence will contribute significantly to cleaning up the air in our country. Energy conservation is also important today. By making use of this information, you can help to conserve energy by buying the most fuel-efficient new car that meets your needs and at the same time contribute to a cleaner environment.

Russell E. Train, Administrator U.S. Environmental Protection Agency

The Nation's drivers have endorsed President Ford's efforts to reduce imports of high-priced oil by observing the 55-mile-per-hour limit, joining carpools, and avoiding unnecessary trips. Buyers of new cars and trucks have an additional opportunity to save gasoline by looking for good gas mileage in their selections.

The Federal Energy Administration, in cooperation with the Environmental Protection Agency, is pleased to help potential buyers by comparing, in this booklet, fuel economies achieved in laboratory tests on almost all 1975 cars and trucks.

Many new cars and trucks display a label listing their gas mileage figures. Take advantage of the information given on the label; it will help you choose the vehicle that meets your needs and saves gasoline money. Your 1975 vehicle should mean better fuel economy for you, as well as cleaner air for everyone.

Frank & Zarb, Administrator Federal Energy Administration

VIRON.

I AGEN

The U.S. Environmental Protection Agency, in cooperation with the Federal Energy Administration, has prepared this guide to provide you with comparable miles-per-gallon information for the broad range of vehicles expected to be sold in this country this year.

This booklet lists the estimated fuel economy of about 250 new car and light-duty truck line and engine combinations that meet the 1975 emission standards and are certified for sale in California as of January 15, 1975. This is the second edition of this booklet. It includes all of the information published earlier, and adds information for the cars and light-duty trucks certified since September 15, 1974.

The vehicles tested were prototypes of the 1975 models which the U.S. Environmental Protection Agency (EPA) tested in its own laboratory to assure compliance with air pollution standards, or which were tested by manufacturers and the results approved or confirmed by EPA. Because the same engines are used in a number of different vehicles, it is not necessary to test each particular model to see if it meets the standards or to calculate the fuel economy data presented here.

The Fuel Economy Tests

The vehicles were tested by professional drivers on a dynamometer, a machine which simulates a number of different driving conditions. Use of dynamometers, rather than driving vehicles out on the road, allows tests to be conducted in exactly the same way each time. Therefore, the results are more scientifically comparable.

Two tests were run on each vehicle. The first, a city driving test, is patterned on the conditions the average driver encounters going from home to work. The average speed of the city test is 20 miles per hour and includes many stops and starts. The second is a highway driving test which includes simulated interstate highway and rural driving. The average speed of the highway test is 49 miles per hour. The city test takes 31 minutes and the highway test 12 minutes.

The city and highway fuel economy for each vehicle tested were measured separately. Then the vehicles were grouped by car or truck line, engine size, number of cylinders, and fuel system. In

most cases more than one vehicle of each group was tested, and the test results were sales weighted to be more representative of all vehicles of that group expected to be sold.


Factors Influencing Fuel Economy

The fuel economy figures for each group of vehicles listed are estimates based on the results of these tests. This does not mean, however, that you as a driver necessarily will get the same fuel economy. Many factors affect the fuel economy of individual vehicles. The weight of the vehicle is the single most important factor which affects the fuel economy. The smaller the vehicle, generally the better the fuel economy. Optional equipment, such as automatic transmission and air conditioning, not only require more gasoline for their operation but also add weight. (These fuel economy estimates are based on tests of vehicles equipped with frequently purchased equipment.) Your driving habits affect fuel economy. Frequent starts and stops, long periods idling, short trips, and uneven speed decrease fuel economy. Condition of the engine affects fuel economy. Keeping your engine tuned will help you to get the best fuel economy and performance for your type of driving.

How to Use This Guide

Manufacturers are listed alphabetically. Major divisions of certain manufacturers are listed under their own name, e.g., Chevrolet is under "C," not under "G" for General Motors. Under each manufacturer is listed each of the passenger car lines he intends to sell, followed by each station wagon line. Light-duty truck lines are listed separately. Each listing includes each different engine size which will be offered within that line, including the number of cylinders in the engine and the type of fuel system (for example, two- or four-barrel carburetor or fuel injection).

In this example, the Coventry car line is offered in three engine sizes: 260, 300, and 350 cubic-inch displacement. The 300 cubic-inch displacement Coventry is listed twice because this car is offered with both a two- and four-barrel carburetor. The only Coventry that is equipped with a catalyst (a muffler-type device used to control regulated emissions by chemically converting




dangerous pollutants into harmless exhaust) is the 350 cubic-inch displacement size. Both the city and highway fuel economy for each type of Coventry are listed and are rounded to the nearest whole mile per gallon.

Many manufacturers produce vehicles for sale in California that are different from vehicles sold elsewhere in the United States. Therefore, this booklet lists vehicles on sale in California. Another booklet is available for vehicles being sold in other States.

Vehicles built by manufacturers who are participating in the Voluntary Fuel Economy Labeling Program should have a label on a rear window indicating the fuel economy of that vehicle. In some cases, the fuel economy will not be the same as that listed here. This is because certain manufacturers have elected to give more detailed information on the label that is specific to the weight, transmission, and axle ratio of the individual vehicle, as well as to the vehicle line, engine size, fuel system, and catalyst usage. Fuel economy figures based on this detailed description are more precise than those listed in this Guide since more factors about the vehicle are taken into consideration when computing the fuel economy information.

For an additional copy of the 1975 EPA/FEA Gas Mileage Guide for New Car Buyers, write: Fuel Economy, Pueblo, Colorado 81009. For bulk copies of the Guide, write: Fuel Economy, Federal Energy Administration, Washington, D.C. 20461.



			<u> </u>			
	e size 1. disp.)	ers	rretor els/fuel	yst	Fuel ed (miles p	conomy pergal)
Manufacturer/Car line		.je	Carbi (barr	Cata	City	Hwy.
Apollo/Skylark	260 350	8 8	2	X X	13 14	17 18
Skyhawk	231	6	2	Χ	17	23
Century/Regal	231 350	6 8	2 4	X X	14 13	19 20
Century Wagon	350	8	4	Χ	12	16
LeSabre	350 455	8 8	4 4	X X	12 11	16 16
LeSabre Limousine	455	8	4	Χ	10	14
Estate Wagon	455	8	4	Χ	10	14
Electra	455	8	4	Χ	10	13
Riviera	455	8	4	Χ	10	13
Cadillac						
Cadillac	500	8	4	Χ	11	14
Fleetwood 75 (Sedan/Limousine)	500	8	4	Χ	10	13
Eldorado	500	8	4	Χ	11	14
Checker						
Marathon	250	6	1	Χ	15	20
Chevrolet						
Vega	140	4	2	Χ	19	28
Vega Kammback	140	4	2	Χ	18	28
Monza	140 350	4 8	2 2	X X	18 15	28 20
Nova	250 350	6 8	1 4	X X	15 13	20 18
Camaro	250 350	6 8	1 4	X X	15 13	20 18
Chevelle	250 350 400	6 8 8	1 4 4	X X X	15 12 11	20 16 16

Manufacturer/Car line	Engine size (cu. in. disp.)	Cylinders	Carburetor (barrels/fuel inj.)	Catalyst	Fuel ed (miles) City	conomy pergal.) Hwy.
Malibu Wagon	350 400	8	4 4	X	11 11	16 14
Chevrolet	350 400	8	4 4	X X	11 11	16 14
Chevrolet Wagon	400	8	4	Χ	10	13
Monte Carlo	350 400	8 8	4 4	X X	12 11	16 16
Corvette	350	8	4	Χ	13	18
Chrysler						
Cordoba	318 360 400	8 8 8	2 4 4	X X X	11 11 12	14 19 17
Chrysler	360 400 440	8 8 8	4 4 4	X X X	11 10 9	15 15 13
Chrysler Wagon	400 440	8 8	4 4	X X	9 9	13 13
Imperial	440	8	4	Χ	9	13
Datsun						
B-210	85	4	2	Χ	27	39
710	119	4	2	Χ	21	29
710 Wagon	119	4	2	Χ	18	24
610	119	4	2	Χ	18	24
610 Wagon	119	4	2	Χ	18	24
280 Z	168	6	Fi	Χ	16	25
Dodge						
Colt	98 122	4 4	2 2		21 17	31 27
Colt Wagon	98	4	2		21	30
	122	4	2		17	27
Dart	225 318 360	6 8 8	1 2 4	X X X	15 12 11	19 16 17

Manufacturer/Car line	Engine size (cu. in. disp.)	cymmer's	Carburetor (barrels/fuel mj	Gatalyst	Fuel ec (miles p City	
Coronet Charger	318 360 400	8 8	2 4 4	X X X	11 11 12	14 19 17
Coronet Wagon	360	8	4	X	11	15
	400	8	4	X	10	15
Monaco	360	8	4	X	11	15
	400	8	4	X	10	15
	440	8	4	X	9	14
Monaco Wagon	360	8	4	X	10	15
	400	8	4	X	9	13
	440	8	4	X	9	13
Ferrari						
Dino 308 GT-4	179	8	8		8	15
Ford						
Pinto	140 (2.3L) 171 (2.8L)		2	X X	17 14	25 21
Pinto Wagon	140 (2.3L)	4	2	X	17	25
	171 (2.8L)	6	2	X	14	21
Mustang II	140 (2.3L)	4	2	X	17	25
	171 (2.8L)	6	2	X	14	21
	302	8	2	X	12	16
Maverick	250	6	1	X	15	21
	302	8	2	X	12	16
Granada	250	6	1	X	15	20
	302	8	2	X	10	14
	351	8	2	X	9	13
Torino Elite	351	8	2	X	10	16
	400	8	2	X	9	14
	460	8	4	X	11	13
Torino Wagon	351	8	2	X	10	16
	400	8	2	X	9	14
	460	8	4	X	9	13
Ford	351	8	2	X	10	16
	400	8	2	X	9	14
	460	8	4	X	10	13

				(E)			
Manufacturer/Car line	,	ngine size tu.in.disp.)	ylinders	arburetor sarrels/fuel	atalyst	Fuel er (miles) City	conomy pergal.)
manulacturer/ var inte		<u> </u>	ت	<u>ع</u> ق	قے	UILY	Hwy.
Ford Wagon		400 460	8 8	2 4	X X	9 9	14 13
Thunderbird		460	8	4	Χ	9	13
Honda							
Civic CVCC		91	4	3		27	39
Lamborghini							
Urraco		150	8	8		8	14
Lincoln-Mercury							
Bobcat		(2.3L) (2.8L)	4 6	2 2	X X	17 14	25 21
Bobcat Wagon		(2.3L) (2.8L)	4 6	2 2	X	17 14	25 21
Comet		250 302	6 8	1 2	X X	15 12	21 16
Monarch		250 302 351	6 8 8	1 2 2	X X X	15 10 9	20 14 13
Montego/Cougar		351 400 460	8 8 8	2 2 4	X X X	10 9 11	16 14 13
Montego Wagon		351 400 460	8 8 8	2 2 4	X X X	10 9 9	16 14 13
Mercury		400 460	8 8	2 4	X X	9 9	14 13
Mercury Wagon		400 460	8 8	2 4	X X	9 9	14 13
Lincoln Continen	tal		8	•	X	9	13
Continental Mark			8	4	X	9	13

	size disp.)	ers	retor Is/fuel mi) Vst	Fuel e	conomy pergal.)
Manufacturer/Car line	Engine (cu. in.	Cylind	Carbul (barre	Catalyst	City	Hwy.
Maserati				-	•	
Merak	181	6	6		10	17
Khamsin	301	8	8		9	13
Bora	301	8	8		9	13
Mazda						
808	97	4	2		21	30
808 Wagon	97	4	2		21	30
RX-3	70	2	?* 4		14	20
RX-3 Wagon	70	21	२* 4		14	20
RX-4	80	21	?* 4		14	20
RX-4 Wagon *Rotary engine with t	80 wo roto		₹ 4		14	20
Mercedes-Benz						
240D	147	4	FI		24	31
300D	183	5	FI		24	31
230	141	4	1	Χ	16	20
280/280C	167	6	4	Χ	15	20
280S	167	6	4	Χ	15	20
450 SE/SEL	276	8	FI	Χ	11	17
450 SL/SLC	276	8	FI	Χ	11	17
Oldsmobile						
Omega	250	6	1	Χ	15	20
	260 350	8 8	2 4	X	13 14	17 18
Starfire	231	6	2	Χ	17	23
Cutlass	250	6	1	Χ	15	20
•	260 350	8 8	2 4	X X	13 13	17 19
	455	8	4	X	11	19
	9					

Manufacturer/Car line	Engine size (cu.in disp.)	Cylinders	Carburetor (barrels/fuel inj.)	Catalyst	Fuel ed (miles) City	conomy ergal.) Hwy.
Cutlass Wagon	350 455	8 8	4	X	12 11	16 16
Delta 88	350 455	8 8	4 4	X X	12 11	16 16
Custom Cruiser Wgn.	455	8	4	Χ	11	16
Olds 98	455	8	4	Χ	10	15
Toronado	455	8	4	Χ	10	15
Opel						
1900/Manta	116	4	FI	Χ	18	26
1900 Wagon	116	4	FI	Χ	18	25
Peugeot						
504	120	4	2		19	26
504 Wagon	120	4	2		17	22
504 Diesel	129	4	FI		27	35
504 Diesel Wagon	129	4	FI		27	35
Plymouth						
Valiant/ Duster	225 318 360	6 8 8	1 2 4	X X X	15 12 11	20 16 17
Road Runner/Fury	318 360 400	8 8 8	2 4 4	X X X	11 11 12	14 19 17
Fury Wagon	360 400	8 8	4 4	X X	11 10	15 15
Gran Fury	360 400 440	8 8 8	4 4 4	X X X	11 10 9	15 15 14
Gran Fury Wagon	360 400 440	8 8 8	4 4 4	X X X	10 9 9	15 13 13
Pontiac						
Astre	140	4	2	Χ	18	28
Astre Wagon	140	4	2	Χ	18	28

Manufacturer/ Gar line	Engine size (cu in disp)	Lylinders	Garburetor	Gatalyst	Fuel ed (miles) City	. - /
Ventura	250 260 350	6 8 8		X X X	15 13 14	20 17 18
Firebird	250 350 400	6 8 8	- () .,	X X X	15 11 11	20 15 15
LeMans	250 350	6 8	1 4	X X	15 10	20 13
LeMans Grand AM	400	8	4	Χ	11	15
Grand AM	455	8	4	Χ	10	14
LeMans Wagon	400	8	4	Χ	11	15
Pontiac	400 455	8	4 4	X X	11 10	15 14
Pontiac Wagon	455	8	4	Χ	9	12
Grand Prix	400	8	4	X	11	15
Porsche	455	8	4	Χ	10	14
- '	09 (1.8L) 20 (2.0L)	4 4	FI FI	X X	19 20	32 28
911S Carrera	164	6	FI		15	23
Rolls-Royce						
Silver Shadow	412	8	2	Χ	9	12
Saab						
99	121	4	FI		21	25
Subaru						
Subaru	83	4	2		21	30
Subaru Wagon	83	4	2		20	32
Toyota						
Corolla	97	4	2	Χ	20	28
Corolla Wagon	97	4	2	Χ	20	28
Corona	133	4	2	Χ	18	25

	ine size in.disp.)	nders	bureter rrels/fuel m	alyst	Fuel ec (milesp	
Manufacturer/Car line		<u>\$</u>	<u> </u>	Cat	City	Hwy.
Corona Wagon	133	4	2	Χ	18	25
Celica	133	4	2	Χ	17	27
Corona Mk. II	156	6	2	Χ	16	19
Corona Mk. II Wgn.	156	6	2	Χ	16	19
Volkswagen	07	4		V	00	24
Beetle	97	4	FI	X	23	34
Rabbit	90	4	2	X	24	38
Dasher	90	4	2	X	23	35
Dasher Wagon	90	4	2	X	23	35
Scirocco	90	4	2	Χ	24	38
Thing	97	4	FI	Χ	23	34
Volvo			- .	.,	1.0	0.5
240	121	4	FI	Χ	16	26
245 Wagon	121	4	FI	Х	16	25
160	182	6	Fl	Χ	16	26
			<u> </u>			
	size disp.)	BLS	etor s/fuel	st	Fuel ec	
Manufacturer/ Truck line	er in in	ylind	arbur barrel	ataly	(miles p	Hwy.
		_			U.,	
Cadillac Commercial Chassi	s 500	۱ (3 4	Χ	10	13
Chevrolet						
Vega Panel Express	3 140	4	1 2	Χ	19	30
Luv Pickup	110	4	2		18	30
Pickup	250 350			X	13 12	17 16
Van	250 350			X	14 12	19 16
Blazer	250 350	8		X	13 12	17 16

	_ :		Ê		T	
	size disp.)	er.s	etor s/fuel	yst	Fuel ed	onomy
Manufacturer/ Truck line	engine (cu. in.	Sylind	Jarbur Darre	Sataly	(miles p	Hwy.
,				_	1	
El Camino	250 350	6 8		X X	15 12	20 16
	400	8		X	11	16
Jatsun Pickup	110	1	2		10	20
·	119	4	2		19	28
Dodge Pickup	225	6	1	Х	16	26
. Tottap	318	8	2	X	13	18
Van	225	6	1	Χ	16	26
	318	8	2	Χ	13	18
Ramcharger	318	8	2	Χ	13	18
Ford						
Courier Pickup	109	4	2		19	25
Pickup	300 302	6 8		X	14 13	20 18
	360	8	2	Χ	10	15
	390	8	2	Χ	10	14
Van (Econoline/ Club Wagon)	300 351	6 8	1 2	X X	14 11	20 17
Bronco	302	8	2	X	13	18
Ranchero	351	8	2	Х	11	16
Nationald	400	8	2	Χ	9	14
GMC	460	8	4	Χ	11	13
Pickup	250	6	1	Χ	13	17
	350	8	4	Χ	12	16
Van	250 350	6 8	1 4	X	14 12	19 16
Jimmy	250	6	1	X	13	17
Simility	350	8	4	X	12	16
Sprint	250	6	1	Χ	15	20
	350 400	8 8	4 4	X	12 11	16 16
Jeep	100	J	7	^\	11	10
Jeep	232	6	1		17	22
	258 304	6 8	1 2	Χ	13 14	17 19

	ne size n. disp.)	iders	uretor els/fuel inj.)	lyst	Fuel ed (miles p	onomy ergal.)
Manufacturer/ Truck line	(egii	\$ 3	E E	Cata	City	Hwy.
Mazda						
B 1600 Pickup	96	4	2		20	28
Rotary Pickup	80	2R	* 4		13	20
*Rotary engine with t	wo roto	rs				
Plymouth						
Van	225	6	1	Х	16	26
	318	8	2	Χ	13	18
Trail Duster	318	8	2	Χ	13	18
Toyota						
Hilux	133	4	2		18	26
Hilux Camper	133	4	2		18	25
Volkswagen						
Bus (Wagon,	109	4	FI	Χ	17	27
Kombi, Panel)						

EA-244-D

FEDER L ENERGY
ADMINISTRATION
WASHINGTON, D.C. 20461
OFFICIAL BUSINESS
PENALTY FOR
PRIVATE USE \$300

POSTAGE AND FEES PAID
FEDERAL
ENERGY
ADMINISTRATION
THIRD CLASS BULK RATE

